

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	71	decrypt\$4 with bios	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:28
S99	41	decrypt\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:28
S10 1	1	combin\$4 with first with second with key and decrypt\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:29
S10 2	1	(join\$4 combin\$4) with first with second with key and decrypt\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:29
S10 4	0	(join\$4 combin\$4) with key and decrypt\$4 with bios with key with combined	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:29
S10 5	1	(join\$4 combin\$4) with key and decrypt\$4 with bios with key with combin\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:30
S10 6	1	(join\$4 combin\$6) with key and decrypt\$4 with bios with key with combin\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:30
S10 7	1	(join\$4 combin\$6) with key and decrypt\$4 with bios with key with combin\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:30
S10 8	1	decrypt\$4 with bios with key with combin\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:31
S10 9	1	decrypt\$4 with bios with key\$4 with combin\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:31
S11 0	22689	(join\$4 combin\$4) with key\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:31
S11 1	11	(join\$4 combin\$4) with key\$4 and de\$cript\$4 with bios	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:32

S11 2	9	(join\$4 combin\$4) with key\$4 and de\$cript\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:33
S11 3	1	(join\$4 combin\$4) with key\$4 and de\$cript\$4 with bios with key with (combin\$6 result)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:32
S11 4	1	(join\$4 combin\$4) with key\$4 and de\$cript\$4 with bios with (combin\$6 result)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:32
S11 5	9	(join\$4 combin\$4) with key and decrypt\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:01
S11 6	20	(join\$4 combin\$4) with key and decrypt\$4 with (boot bios) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:05
S11 7	11	S116 not S115	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:06
S11 8	10	(join\$4 combin\$4) with key and decrypt\$4 near3 (boot bios) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:09
S11 9	6	S118 not S117	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:06
S12 0	2	(join\$4 combin\$4) with key with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:11
S12 1	2	(combin\$4 "exclusive or") with key with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:15
S12 2	2	(combin\$4 mix\$4 "exclusive or") with key with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:12
S12 3	8	(combin\$4 mix\$4 add\$4 "exclusive or") with key with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:12

S12 4	6	S123 not S122	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:12
S12 5	2	(combin\$4 "exclusive or") with (key\$4) with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:15
S12 6	2	(combin\$4 "exclusive or") with (key\$4 seed\$4) with decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:15
S12 7	16	(combin\$4 "exclusive or") with (key\$4 seed\$4) and decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:19
S12 8	11	(combin\$4 "exclusive or") with key and decrypt\$4 near3 (boot bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:16
S12 9	5	S127 not S128	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:16
S13 0	31	(combin\$4 "exclusive or") with (key\$4 seed\$4) and decrypt\$4 near3 (boot\$4 bios)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:20
S13 1	15	S130 not S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:23
S13 2	2	decrypt\$4 with (boot bios) with (combin\$4 pair\$4) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:25
S13 3	2	decrypt\$4 with (boot bios) with (combin\$4 pair) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:25
S13 4	5	decrypt\$4 with (boot bios) with public with private with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:38
S13 5	5	decrypt\$4 with ("basic input/output system" boot bios) with public with private with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:40

S13 6	499	authenticat\$4 with user and release\$4 with (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:41
S13 7	15	authenticat\$4 with user with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:39
S13 8	6	authenticat\$4 with user with (bios boot "basic input/output system") and release\$4 near2 (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 08:47
S13 9	3	authenticat\$4 with user with (during within while) with (bios boot "basic input/output system") and release\$4 near2 (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 09:45
S14 0	81	decrypt\$4 near3 (bios boot)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 09:46
S14 1	18	decrypt\$4 near3 (bios boot) and (combin\$6 xor "exclusive or") with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 09:47
S14 2	2	decrypt\$4 near3 (bios boot) with (combin\$6 xor "exclusive or") with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 09:47
S14 3	16	S141 not S142	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 09:48
S14 4	3	authenticat\$4 with user with (within during while) with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:40
S14 5	1	authenticat\$4 with user with (within during while) with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:40
S14 6	15	authenticat\$4 with user with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:42
S14 7	1	authenticat\$4 with user with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:42

S14 8	36	release\$4 with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:41
S14 9	128	authentica\$4 with user and (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:43
S15 0	1	authentica\$4 with user and (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:42
S15 1	1	authentica\$4 with user and (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:42
S15 2	82	authentica\$4 with user and (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:43
S15 3	10	authentica\$4 with user with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:44
S15 4	3	authentica\$4 with user with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) same token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:45
S15 5	3	authentica\$4 with (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) same token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:45
S15 6	3	authentica\$4 with user and (bios boot "basic input/output system") and release\$4 with (key\$4 seed\$4) same token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:51
S15 7	1	authentica\$4 with user with (bios boot "basic input/output system") with (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:52
S15 8	23	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:53
S15 9	22	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token and (encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:53

S16 0	9	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token and (encrypt\$4 decrypt\$4) not bio\$metric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:05
S16 1	8	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token and (encrypt\$4 decrypt\$4) not bio\$metric not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:12
S16 2	22	authentica\$4 with user same (bios boot "basic input/output system") and (key\$4 seed\$4) with token and (encrypt\$4 decrypt\$4) not bio\$metric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:05
S16 3	22	(authentica\$4 with user) same (bios boot "basic input/output system") and (key\$4 seed\$4) with token and (encrypt\$4 decrypt\$4) not bio\$metric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:11
S16 4	13	S163 not S160	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:05
S16 5	8	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token not bio\$metric not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:13
S16 6	0	S161 not S165	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:12
S16 7	0	S165 not S161	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:13
S16 8	8	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token\$4 not bio\$metric not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:14
S16 9	21	authentica\$4 with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with token\$4 not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:35
S17 0	13	S169 not S168	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:23

S17 1	10	S169 not S168 and (submit\$4 send\$4 releas\$4 free\$4) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:25
S17 2	11	S169 not S168 and (encrypt\$4 decrypt\$4) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:25
S17 4	0	(authentikat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card) with token\$4 not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:37
S17 5	34	(authentikat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) not intel. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:25
S17 6	5	(authentikat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and (first and second) with (bios boot) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 14:09
S17 7	1	(authentikat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and (first and second) near2 (bios boot) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 14:10
S17 8	3	(authentikat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 near2 (bios boot) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 14:10



S179	8	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 with (bios boot)not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 14:16
S180	8	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 with (bios boot) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 14:16
S181	8	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 with (bios boot\$4) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 16:06
S182	10	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 same (bios boot\$4) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 16:06
S183	21	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:02
S184	9	combin\$4 with key and decrypt\$4 with bios with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:24
S185	9	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 with (bios boot\$4)not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:26



S18 6	9	(authenticat\$4 password authoriz\$4 validat\$4 verif\$4) with user with (bios boot "basic input/output system") and (key\$4 seed\$4) with (smart\$card chip\$card ic4card token) and decrypt\$4 with (bios boot\$4) not intel.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:29
S18 7	40	encrypt\$4 near (bios boot)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:29
S18 8	20	encrypt\$4 near (bios boot) with key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:29
S18 9	8	encrypt\$4 near (bios boot) with key and user with (authoriz\$4 authenticat\$4 verif\$4 validat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:30
S19 0	2	encrypt\$4 near (bios boot) with key and user with (authoriz\$4 authenticat\$4 verif\$4 validat\$4) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 06:30
S19 1	2631	(bios boot\$4) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:02
S19 2	131	(bios boot\$4) adj code and (first and second) with (part section segment area portion part) with (bios boot\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:03
S19 3	3	(bios boot\$4) adj code and (first and second) with (part section segment area portion part) with (bios boot\$4) and (encrypt\$4 and decrypt\$4) with (bios boot\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:08
S19 4	13	(bios boot\$4) and (first and second) with (part section segment area portion) with (bios boot\$4) and (encrypt\$4 and decrypt\$4) with (bios boot\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:23
S19 5	10	S194 not S193	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:20
S19 6	4	(bios boot\$4) and (first and second) near4 (part section segment area portion) near4 (bios boot\$4) and (encrypt\$4 and decrypt\$4) near4 (bios boot\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 08:24